

SOFT-TRANSFER

HARDLY PERCEPTIBLE

With a soft-transfer **the ink penetrates completely into the fabric leaving a hardly perceptible layer of ink** on the fabric. A characteristic feature of this transfer is its soft, elastic and durable surface. Ideally, it is applied on absorbent, elastic cotton or cotton blend fabric or other natural fibres which are suitable for an **ironing temperature of 200°C**.

Optimum results are achieved on **light backgrounds**. On **coloured** or **dark backgrounds** the colours may come out **incorrect**. Only **black soft-transfers** are opaque enough on any background.



CHARACTERISTICS

hardly perceptible (the paint does not stay on the surface, but penetrates into the textile)

•
low opacity

•
only suitable for light backgrounds

•
mat

•
suitable for babies and toddlers

INFORMATION

TEXTILES



cotton

cotton mix
with a cotton content of
at least 70%

natural fibres

the textile (incl. softener)
has to withstand an
ironing temperature of
200°C

REQUIREMENTS



minimum line width
positive: 0.3 mm, negati-
ve: 0.6 mm (feed)

Vector file
or pixel graphics with
600 dpi

minimum quantity
50 pcs.

APPLICATION



temperature: 190-200 °C
Preheating is not necessary

time: 8-12 seconds

pressure: 0.5-0.8 kp/cm²
3-4 bar (strong pressure)

Strip off carrier paper
while still hot

CARE



washable up to 60°C

iron inside out

do not chlorinate

do not tumble-dry

do not dry-clean

CERTIFICATE



tested for harmful
substances

Oeko-Tex
Standard 100 Class 1

suitable for babies
and toddlers

SHELF LIFE



approx. 6 months
if kept airtight
in a dark environment

